


Surface Water Management



NW100 Channel -39.37" (1 m)



NW100 Channel -19.69" (0.5 m)



N900 in-line Catch Basin -19.69" (0.5 m)



2' x 2' x 2' Drain Sump



NIMI OO Deste Table 12	Part	Price	Weight	Pallet
NW100 Parts Table ^{1,2}	No.	\$	lbs	Qty
N1 Sloped channel - 39.37" (1 m)	138001	156.00	32.0	28
N02 Constant depth channel - 39.37" (1 m)	06562	156.00	34.0	28
N2 Sloped channel - 39.37" (1 m)	138002	156.00	34.0	28
N3 Sloped channel - 39.37" (1 m)	138003	156.00	36.0	28
N4 Sloped channel - 39.37" (1 m)	138004	156.00	36.0	28
N5 Sloped channel - 39.37" (1 m)	138005	156.00	37.0	28
N6 Sloped channel - 39.37" (1 m)	138006	156.00	37.0	28
N7 Sloped channel - 39.37" (1 m)	138007	156.00	37.0	28
N8 Sloped channel - 39.37" (1 m)	138008	156.00	39.0	28
N9 Sloped channel - 39.37" (1 m)	138009	156.00	41.0	28
N010 Constant depth channel - 39.37" (1 m)	06561	156.00	41.0	28
N0103 Constant depth channel - 19.69" (0.5 m) ³	138033	106.00	23.0	56
N10 Sloped channel - 39.37" (1 m)	138010	156.00	43.0	28
N11 Sloped channel - 39.37" (1 m)	138011	156.00	43.0	28
N12 Sloped channel - 39.37" (1 m)	138012	156.00	43.0	28
N13 Sloped channel - 39.37" (1 m)	138013	156.00	44.0	28
N14 Sloped channel - 39.37" (1 m)	138014	156.00	46.0	28
N15 Sloped channel - 39.37" (1 m)	138015	156.00	46.0	28
N16 Sloped channel - 39.37" (1 m)	138016	156.00	46.0	28
N17 Sloped channel - 39.37" (1 m)	138017	156.00	49.0	28
N18 Sloped channel - 39.37" (1 m)	138018	156.00	48.0	28
N19 Sloped channel - 39.37" (1 m)	138019	156.00	48.0	28
N020 Constant depth channel - 39.37" (1 m)	06563	156.00	49.0	28
N0203 Constant depth channel - 19.69" (0.5 m) ³	138035	106.00	26.0	56
N20 Sloped channel - 39.37" (1 m)	138020	156.00	49.0	28
N21 Sloped channel - 39.37" (1 m)	138021	156.00	50.0	28
N22 Sloped channel - 39.37" (1 m)	138022	156.00	52.0	28
N23 Sloped channel - 39.37" (1 m)	138023	156.00	52.0	28
N24 Sloped channel - 39.37" (1 m)	138024	156.00	55.0	28
N25 Sloped channel - 39.37" (1 m)	138025	156.00	55.0	28
N26 Sloped channel - 39.37" (1 m)	138026	156.00	56.0	28
N27 Sloped channel - 39.37" (1 m)	138027	156.00	57.0	28
N28 Sloped channel - 39.37" (1 m)	138028	156.00	57.0	28
N29 Sloped channel - 39.37" (1 m)	138029	156.00	58.0	28
N030 Constant depth channel - 39.37" (1 m)	138036	156.00	58.0	28
N0303 Constant depth channel - 19.69" (0.5 m) ³	138037	81.00	31.0	56
N30 Sloped channel - 39.37" (1 m)	138030	156.00	59.0	28
N900 In-line catch basin - 19.69" (0.5 m)	05620	243.00	61.3	12
Series 900 plastic trash bucket	01498	78.00	1.1	-
QuickLok® locking bar for catch basin (removable)	98717	28.00	0.1	-
N306 Closing end cap	137090	23.00	3.0	-
N104-4 Inlet cap with 4"	137091	38.00	3.0	-
N108-4 Outlet cap with 4"	137092	38.00	3.0	-
N204-4 Inlet cap with 4"	137093	38.00	3.0	-
N204-6 Inlet Cap 6"	137099	105.00	3.0	-
N208-4 Outlet cap with 4"	137094	38.00	4.0	-
N208-6 Outlet cap 6"	137095	105.00	3.0	-
N304-4 Inlet cap with 4"	137096	38.00	3.0	-
N308-4 Outlet cap with 4"	137097	105.00	4.0	-
N308-6 Outlet end cap 6"	137098	105.00	4.0	-
QuickLok® locking bar - 4" system	02899	11.00	0.1	
Grate removal tool	01318	36.00	0.3	-

- Notes
 1. Grates see QuickLok® grate pricing on the next page and page 2 in Drain Product Price List #1. DrainLok grates are not suitable for use with NW100.
 2. Maximum Load Class C even if grate has higher load rating.
- 3. Bottom knockout included on 0.5 m channels.

SUMPS & PARTS				
Sump box - 2' x 2' x 2'	05719	885.00	168.0	1
Gray iron frame & slot grate for 2' x 2' x 2'	05720	1,349.00	265.0	-
Sump box - 3' x 3' x 3'	05710	1,656.00	467.0	1
Gray iron frame & slot grate for 3' x 3' x 3'	05713	3,174.00	620.0	-
Sump box - 4' x 4' x 4'	05717	5,262.00	995.0	1
Gray iron frame & slot grate for 4' x 4' x 4'	05978	5,436.00	1300.0	-

QuickLok® K100/KS100 Gr	rates	Length in (mm)	Part No.	Price \$	Weight Ibs	Pallet Qty
LOAD CLASS A - EN 1433 - 3,372 LBS - 116 PSI						
representator de la constanta della constanta de la constanta de la constanta de la constanta	Type 420Q Galvanized slotted Type 421Q Galvanized slotted	39.37 (1000) 19.69 (500)	31530 31531	41.00 29.00	5.5 2.8	200 400
	Type 450Q Stainless slotted Type 452Q Stainless slotted	39.37 (1000) 19.69 (500)	31630 31631	206.00 139.00	5.9 2.8	200 400
ACO O O O O O O O O O O O O O O O O O O	Type 430Q Stainless mesh	19.69 (500)	141744	644.00	8.0	400
	Type 451Q Stainless perforated	39.37 (1000)	98883	235.00	6.3	200
	Type 410Q Galvanized perforated ¹ Type 412Q Galvanized perforated ¹	39.37 (1000) 19.69 (500)	35908 98879	69.00 51.00	6.3 3.2	200 400
	Type 494Q Black plastic longitudinal Type 495Q Gray plastic longitudinal	19.69 (500)	97393 97385	38.00 38.00	1.8	416
LOAD CLASS C - EN 1433 - 56,202 LBS - 1,934 PSI						
opopopopopopopopopo Popopopopopopopopopo	Type 425Q Galvanized slotted ¹ Type 426Q Galvanized slotted ¹	39.37 (1000) 19.69 (500)	31540 31541	106.00 65.00	8.8 4.4	200 400
	Type 455Q Stainless slotted¹ Type 457Q Stainless slotted¹	39.37 (1000) 19.69 (500)	31640 31641	443.00 226.00	8.8 4.4	200 400
	Type 411Q Galvanized perforated ¹ Type 413Q Galvanized perforated ¹	39.37 (1000) 19.69 (500)	98905 98918	152.00 81.00	11.3 5.7	200 400

QuickLok® K300/KS300 Grates

LOAD CLASS C - EN 1433 - 56,202 LBS	- 967 PSI					
=	Type 847Q Stainless longitudinal Type 848Q Stainless longitudinal	39.37 (1000) 19.69 (500)	98975 98995	2,503.00 1,668.00	28.6 14.5	100 100
	Type 830Q Stainless mesh	19.69 (500)	16006	1,703.00	29.5	100

Notes1. Must be ordered in pallet quantity

ACO Terms & Conditions

PAYMENT - All pricing is in U.S. Dollars.

TERMS - Net 30 days from date of invoice. A service charge of 1.5% per month will be charged on all invoices unpaid 30 days after invoice date (equal to 18% annually).



and Conditions of Sale

FREIGHT - F.O.B. ACO

PRODUCT AVAILABILITY - Call Customer Service for current stock availability and lead times.

MISSING MATERIAL - Missing material must be reported to ACO's Customer Service Department within 48 hours of receipt of shipment.

DAMAGED MATERIAL - Damaged material must be noted on the bill of lading at final destination point. The receiver must file a freight claim with the carrier. ACO is not responsible for material damaged in transit.

TAXES - All State and Federal taxes are additional.

CHANGES - ACO, Inc. reserves the right to change prices, design, and materials of any products listed at any time.

RETURNS - Returned materials are subject to a 25% restocking charge. Prior return authorization (RGA) must be obtained from ACO before any material is shipped. Returned materials are subject to the following conditions:

- a) Items returned in a condition that does not allow for refurbish and resale will not be credited.
- b) Material must be returned to ACO within 30 days of receipt of RGA.
- c) All freight costs are the responsibility of those returning the material.
- d) All non-standard and fabricated material cannot be returned for credit.

MINIMUM ORDER - Minimum order is \$250.00. Orders under \$250.00 are subject to a \$50.00 handling fee.

ACO, Inc.

West Sales Office 825 W. Beechcraft Street Casa Grande, AZ 85122 Tel: (520) 421-9988 Toll-Free: (888) 490-9552 Fax: (520) 421-9899

9470 Pinecone Drive Mentor, OH 44060 Tel: (440) 639-7230 Fax: (440) 639-7235

Northeast Sales Office

Southeast Sales Office 481 Munn Road Suite 225 Fort Mill, SC 29715

Toll-Free: (800) 543-4764 Toll-Free: (800) 543-4764 Fax: (803) 802-1063

info@acousa.com www.acoswm.com

© January 2025 ACO, Inc.

All reasonable care has been taken in compiling the information in this document. All recommendations and suggestions on the use of ACO products are made without guarantee since the conditions of use are beyond the control of the company. It is the customer's responsibility to ensure that each product is fit for its intended purpose and that the actual conditions of use are suitable. ACO, Inc. reserves the right to change products and specifications without notice. Print DR PL2025LA 01

