




## Surface Water Management



# 2025

Product Price List

ACO Infrastructure

Effective January 1, 2025

## Infrastructure System Pricing

### MonoBloc HD200 System Pricing

\$/ft

HD01 to HD025 constant depth/sloping channels	<b>96.25</b>
---	--------------

### TraffikDrain TD100 System Pricing

Removable Grates  
\$/ft

Non-Removable Grates  
\$/ft

TD01 to TD030 channels - 1 m	<b>60.67</b>	<b>62.50</b>
TD31 to TD060 channels - 1 m	<b>89.94</b>	<b>96.04</b>

### QMax System Pricing

QMax 225  
\$/ft

QMax 350  
\$/ft

QMax 365  
\$/ft


QMax 465  
\$/ft

QMax 600  
\$/ft


Q-Flow ductile iron rail	<b>91.46</b>	<b>102.90</b>	<b>121.95</b>	<b>144.82</b>	<b>182.92</b>
Q-Guard ductile iron rail	<b>95.27</b>	<b>106.71</b>	<b>127.29</b>	<b>148.63</b>	<b>167.68</b>
Q-Flow galvanized steel rail	<b>80.03</b>	<b>95.27</b>	<b>108.99</b>	<b>133.38</b>	<b>160.06</b>
Q-Guard galvanized steel rail	<b>76.22</b>	<b>83.84</b>	<b>99.09</b>	<b>123.48</b>	<b>156.25</b>

### MonoBloc HD200 Parts

HD200 Channel -  
48.0" (1.22 m)



HD200 Access Channel -  
48.0" (1.22 m)



	Part No.	Price \$	Weight lbs	Pallet Qty
HD01 constant depth channel - 48.0" (1.22 m)	95250	<b>385.00</b>	241.0	8
HD01 access channel - 48.0" (1.22 m)	95317	<b>535.00</b>	243.0	8
HD01 outlet channel - 48.0" (1.22 m)	95326	<b>515.00</b>	233.0	8
HD1 sloping channel - 48.0" (1.22 m)	95253	<b>385.00</b>	241.0	8
HD2 sloping channel - 48.0" (1.22 m)	95255	<b>385.00</b>	242.7	8
HD3 sloping channel - 48.0" (1.22 m)	95259	<b>385.00</b>	244.3	8
HD4 sloping channel - 48.0" (1.22 m)	95254	<b>385.00</b>	246.0	8
HD5 sloping channel - 48.0" (1.22 m)	95258	<b>385.00</b>	247.6	8
HD6 sloping channel - 48.0" (1.22 m)	95257	<b>385.00</b>	249.3	8
HD7 sloping channel - 48.0" (1.22 m)	95252	<b>385.00</b>	250.9	8
HD8 sloping channel - 48.0" (1.22 m)	95251	<b>385.00</b>	252.6	8
HD9 sloping channel - 48.0" (1.22 m)	95256	<b>385.00</b>	254.2	8
HD10 sloping channel - 48.0" (1.22 m)	95263	<b>385.00</b>	255.9	8
HD11 sloping channel - 48.0" (1.22 m)	95265	<b>385.00</b>	257.5	8
HD12 sloping channel - 48.0" (1.22 m)	95267	<b>385.00</b>	259.2	8
HD13 sloping channel - 48.0" (1.22 m)	95262	<b>385.00</b>	260.8	8
HD14 sloping channel - 48.0" (1.22 m)	95269	<b>385.00</b>	262.5	8
HD15 sloping channel - 48.0" (1.22 m)	95266	<b>385.00</b>	264.1	8
HD015 constant depth channel - 48.0" (1.22 m)	95261	<b>385.00</b>	264.1	8
HD015 access channel - 48.0" (1.22 m)	95328	<b>535.00</b>	266.2	8
HD015 outlet channel - 48.0" (1.22 m)	95327	<b>515.00</b>	256.1	8
HD16 sloping channel - 48.0" (1.22 m)	95264	<b>385.00</b>	265.8	8
HD17 sloping channel - 48.0" (1.22 m)	95260	<b>385.00</b>	267.4	8
HD18 sloping channel - 48.0" (1.22 m)	95268	<b>385.00</b>	269.1	8
HD19 sloping channel - 48.0" (1.22 m)	95275	<b>385.00</b>	270.7	8
HD20 sloping channel - 48.0" (1.22 m)	95272	<b>385.00</b>	272.4	8
HD21 sloping channel - 48.0" (1.22 m)	95274	<b>385.00</b>	274.0	8
HD22 sloping channel - 48.0" (1.22 m)	95270	<b>385.00</b>	275.7	8
HD23 sloping channel - 48.0" (1.22 m)	95277	<b>385.00</b>	277.3	8
HD24 sloping channel - 48.0" (1.22 m)	95273	<b>385.00</b>	279.0	8
HD25 sloping channel - 48.0" (1.22 m)	95276	<b>385.00</b>	280.6	8
HD025 constant depth channel - 48.0" (1.22 m)	95271	<b>385.00</b>	280.6	8
HD025 access channel - 48.0" (1.22 m)	95329	<b>535.00</b>	282.6	8
HD025 outlet channel - 48.0" (1.22 m)	95322	<b>515.00</b>	272.6	8
Flumed outlet - 8" vertical	95279	<b>102.25</b>	2.4	-
Flumed outlet kit - 8" horizontal	95290	<b>430.00</b>	7.5	-
Flumed outlet - 12" vertical	95285	<b>161.25</b>	4.5	-
Flumed outlet kit - 12" horizontal	95287	<b>445.00</b>	9.6	-
Closing cap	95292	<b>107.50</b>	1.8	-
Outlet cap kit - 8" Sch 40	95293	<b>209.75</b>	3.5	-
HD200 installation kit	95284	<b>16.21</b>	0.8	-

**TrafficDrain TD100 Parts**


TD100 Channel -  
39.37" (1 m)



TD100 Channel -  
19.69" (0.5 m)




TD100 Outlet Channel -  
39.37" (1 m)



	Removable Grates		Non-Removable Grates		Weight lbs	Pallet Qty
	Part No.	Price \$	Part No.	Price \$		
TD01 constant depth channel - 39.37" (1 m)	96105	199.00	05400	205.00	62.7	28
TD1 sloped channel - 39.37" (1 m)	96111	199.00	05401	205.00	63.8	28
TD2 sloped channel - 39.37" (1 m)	96128	199.00	05402	205.00	64.8	28
TD3 sloped channel - 39.37" (1 m)	96134	199.00	05403	205.00	65.8	28
TD4 sloped channel - 39.37" (1 m)	96140	199.00	05404	205.00	66.8	28
TD5 sloped channel - 39.37" (1 m)	96153	199.00	05405	205.00	67.8	28
TD6 sloped channel - 39.37" (1 m)	96162	199.00	05406	205.00	68.9	28
TD7 sloped channel - 39.37" (1 m)	96176	199.00	05407	205.00	69.9	28
TD8 sloped channel - 39.37" (1 m)	96189	199.00	05408	205.00	70.9	28
TD9 sloped channel - 39.37" (1 m)	96191	199.00	05409	205.00	71.9	28
TD10 sloped channel - 39.37" (1 m)	96206	199.00	05410	205.00	72.9	28
TD010 constant depth channel - 39.37" (1 m)	96218	199.00	05432	205.00	73.4	28
TD0103 constant depth channel - 19.69" (0.5 m)	96221	115.00	05435	125.00	38.4	56
TD11 sloped channel - 39.37" (1 m)	96234	199.00	05411	205.00	73.9	28
TD12 sloped channel - 39.37" (1 m)	96245	199.00	05412	205.00	74.9	28
TD13 sloped channel - 39.37" (1 m)	96252	199.00	05413	205.00	75.9	28
TD14 sloped channel - 39.37" (1 m)	96269	199.00	05414	205.00	76.9	28
TD15 sloped channel - 39.37" (1 m)	96277	199.00	05415	205.00	77.9	28
TD16 sloped channel - 39.37" (1 m)	96283	199.00	05416	205.00	79.0	28
TD17 sloped channel - 39.37" (1 m)	96295	199.00	05417	205.00	80.0	28
TD18 sloped channel - 39.37" (1 m)	96301	199.00	05418	205.00	81.0	28
TD19 sloped channel - 39.37" (1 m)	96316	199.00	05419	205.00	82.0	28
TD20 sloped channel - 39.37" (1 m)	96329	199.00	05420	205.00	83.0	28
TD020 constant depth channel - 39.37" (1 m)	96337	199.00	05433	205.00	83.6	28
TD0203 constant depth channel - 19.69" (0.5 m)	96342	115.00	05436	125.00	42.2	56
TD21 sloped channel - 39.37" (1 m)	96351	199.00	05421	205.00	84.0	21
TD22 sloped channel - 39.37" (1 m)	96364	199.00	05422	205.00	85.0	21
TD23 sloped channel - 39.37" (1 m)	96376	199.00	05423	205.00	86.0	21
TD24 sloped channel - 39.37" (1 m)	96385	199.00	05424	205.00	87.0	21
TD25 sloped channel - 39.37" (1 m)	96398	199.00	05425	205.00	88.0	21
TD26 sloped channel - 39.37" (1 m)	96403	199.00	05426	205.00	89.1	21
TD27 sloped channel - 39.37" (1 m)	96411	199.00	05427	205.00	90.1	21
TD28 sloped channel - 39.37" (1 m)	96429	199.00	05428	205.00	91.1	21
TD29 sloped channel - 39.37" (1 m)	96434	199.00	05429	205.00	92.1	21
TD30 sloped channel - 39.37" (1 m)	96447	199.00	05430	205.00	93.1	21
TD030 constant depth channel - 39.37" (1 m)	96456	199.00	05434	205.00	95.4	21
TD0303 constant depth channel - 19.69" (0.5 m)	96462	115.00	05437	125.00	46.4	42
TD030 outlet channel - 39.37" (1 m)	96448	199.00	05375	205.00	90.0	21
TD31 sloped channel - 39.37" (1 m)	96253	295.00	05481	315.00	98.4	21
TD32 sloped channel - 39.37" (1 m)	96257	295.00	05482	315.00	101.0	21
TD33 sloped channel - 39.37" (1 m)	96259	295.00	05483	315.00	103.6	21
TD34 sloped channel - 39.37" (1 m)	96262	295.00	05484	315.00	106.2	21
TD35 sloped channel - 39.37" (1 m)	96265	295.00	05487	315.00	106.4	21
TD36 sloped channel - 39.37" (1 m)	96268	295.00	05488	315.00	107.5	21
TD37 sloped channel - 39.37" (1 m)	96271	295.00	05489	315.00	109.2	21
TD38 sloped channel - 39.37" (1 m)	96275	295.00	05490	315.00	111.0	21
TD39 sloped channel - 39.37" (1 m)	96278	295.00	05491	315.00	112.8	21
TD40 sloped channel - 39.37" (1 m)	96286	295.00	05492	315.00	114.9	21
TD040 constant depth channel - 39.37" (1 m)	96390	295.00	05372	315.00	114.4	21
TD040 outlet channel - 39.37" (1 m)	96454	295.00	05376	315.00	114.4	21
TD41 sloped channel - 39.37" (1 m)	96290	295.00	05380	315.00	117.4	14
TD42 sloped channel - 39.37" (1 m)	96297	295.00	05381	315.00	118.8	14
TD43 sloped channel - 39.37" (1 m)	96305	295.00	05382	315.00	120.2	14
TD44 sloped channel - 39.37" (1 m)	96308	295.00	05383	315.00	121.6	14
TD45 sloped channel - 39.37" (1 m)	96313	295.00	05384	315.00	122.9	14
TD46 sloped channel - 39.37" (1 m)	96319	295.00	05385	315.00	125.4	14
TD47 sloped channel - 39.37" (1 m)	96326	295.00	05386	315.00	127.0	14
TD48 sloped channel - 39.37" (1 m)	96331	295.00	05387	315.00	128.6	14
TD49 sloped channel - 39.37" (1 m)	96338	295.00	05388	315.00	130.2	14
TD50 sloped channel - 39.37" (1 m)	96340	295.00	05389	315.00	131.9	14
TD050 constant depth channel - 39.37" (1 m)	96395	295.00	05373	315.00	131.4	14
TD050 outlet channel - 39.37" (1 m)	96453	295.00	05377	315.00	131.4	14
TD51 sloped channel - 39.37" (1 m)	96349	295.00	05390	315.00	135.4	14
TD52 sloped channel - 39.37" (1 m)	96353	295.00	05391	315.00	136.6	14
TD53 sloped channel - 39.37" (1 m)	96357	295.00	05392	315.00	137.8	14
TD54 sloped channel - 39.37" (1 m)	96362	295.00	05393	315.00	139.0	14
TD55 sloped channel - 39.37" (1 m)	96368	295.00	05394	315.00	139.9	14
TD56 sloped channel - 39.37" (1 m)	96374	295.00	05395	315.00	143.9	14
TD57 sloped channel - 39.37" (1 m)	96375	295.00	05396	315.00	145.5	14
TD58 sloped channel - 39.37" (1 m)	96382	295.00	05397	315.00	147.1	14
TD59 sloped channel - 39.37" (1 m)	96386	295.00	05398	315.00	148.7	14
TD60 sloped channel - 39.37" (1 m)	96394	295.00	05399	315.00	150.3	14
TD060 constant depth channel - 39.37" (1 m)	96397	295.00	05374	315.00	149.4	14
TD060 outlet channel - 39.37" (1 m)	96452	295.00	05378	315.00	149.4	14

TD900 In-line Catch Basin -  
19.69" (0.5 m)



**TrafficDrain TD100 Catch Basins & Accessories**

	Part No.	Price \$	Weight lbs	Pallet Qty
TD900 in-line catch basin - 19.69" (0.5 m)	96478	<b>275.00</b>	96.5	-
Series 900 plastic trash bucket	01498	<b>64.50</b>	1.1	-
Foul air trap for TD900	90854	<b>72.75</b>	1.2	-
TD-621D catch basin - 19.69" (0.5 m) <sup>1</sup>	96477	<b>830.00</b>	88.7	6
TD-631D catch basin - 19.69" (0.5 m) <sup>2</sup>	96475	<b>915.00</b>	98.7	6
Type 824 4" - 6" outlet adapter	95140	<b>21.00</b>	1.1	-
Flumed outlet - 8" vertical	95279	<b>102.25</b>	2.4	-
Flumed outlet kit - 8" horizontal	95290	<b>430.00</b>	7.5	-
Flumed outlet - 12" vertical	95285	<b>161.25</b>	4.5	-
Flumed outlet kit - 12" horizontal	95287	<b>445.00</b>	9.6	-
Closing/4" inlet/outlet cap	95063	<b>21.50</b>	0.4	-
6" inlet cap - 204-6	93903	<b>66.75</b>	4.8	-
6" outlet cap - 208-6	97048	<b>66.75</b>	4.8	-
6" inlet cap - 304-6	93905	<b>66.75</b>	6.1	-
6" outlet cap - 308-6	97052	<b>66.75</b>	6.1	-
TD100 installation device - joint clamp	95286	<b>47.50</b>	3.3	-
TD100 installation device - hanger clip	95289	<b>12.00</b>	0.6	-
Concrete anchors (2 per bag)	97496	<b>19.00</b>	0.3	-

**Notes:**

1. This catch basin kit includes polymer concrete top, grate, blanking end kit, trash bucket and plastic base.
2. This catch basin kit includes polymer concrete top, grate, blanking end kit, deep trash bucket, plastic riser and plastic base.

TD-621D Catch Basin -  
19.69" (0.5 m)



TD-631D Catch Basin -  
19.69" (0.5 m)




**TrafficDrain TD300 Parts (Removable Grates)**

	Part No.	Price \$	Weight lbs	Pallet Qty	
	TD3-00 constant depth channel - 39.37" (1 m)	138150	<b>515.00</b>	207.0	9
	TD3-1 slope channel - 39.37" (1 m)	138151	<b>515.00</b>	207.0	9
	TD3-2 sloped channel - 39.37" (1 m)	138152	<b>515.00</b>	208.2	9
	TD3-3 sloped channel - 39.37" (1 m)	138153	<b>515.00</b>	209.5	9
	TD3-4 sloped channel - 39.37" (1 m)	138154	<b>515.00</b>	210.7	9
	TD3-5 sloped channel - 39.37" (1 m)	138155	<b>515.00</b>	211.9	9
	TD3-6 sloped channel - 39.37" (1 m)	138156	<b>515.00</b>	213.2	9
	TD3-7 sloped channel - 39.37" (1 m)	138157	<b>515.00</b>	214.4	9
	TD3-8 sloped channel - 39.37" (1 m)	138158	<b>515.00</b>	215.6	9
	TD3-9 sloped channel - 39.37" (1 m)	138159	<b>515.00</b>	216.8	9
	TD3-10 sloped channel - 39.37" (1 m)	138160	<b>515.00</b>	218.1	9
	TD3-010 constant depth channel - 39.37" (1 m)	138195	<b>515.00</b>	218.1	9
	TD3-0103 constant depth channel - 19.69" (0.5 m)	138201	<b>285.00</b>	116.3	18
	TD3-11 sloped channel - 39.37" (1 m)	138161	<b>515.00</b>	219.3	9
	TD3-12 sloped channel - 39.37" (1 m)	138162	<b>515.00</b>	220.5	9
	TD3-13 sloped channel - 39.37" (1 m)	138163	<b>515.00</b>	221.8	9
	TD3-14 sloped channel - 39.37" (1 m)	138164	<b>515.00</b>	223.0	9
	TD3-15 sloped channel - 39.37" (1 m)	138165	<b>515.00</b>	224.2	9
	TD3-16 sloped channel - 39.37" (1 m)	138166	<b>515.00</b>	225.5	9
	TD3-17 sloped channel - 39.37" (1 m)	138167	<b>515.00</b>	226.7	9
	TD3-18 sloped channel - 39.37" (1 m)	138168	<b>515.00</b>	227.9	9
	TD3-19 sloped channel - 39.37" (1 m)	138169	<b>515.00</b>	229.2	9
	TD3-20 sloped channel - 39.37" (1 m)	138170	<b>515.00</b>	230.4	9
	TD3-020 constant depth channel - 39.37" (1 m)	138196	<b>515.00</b>	230.4	9
	TD3-0203 constant depth channel - 19.69" (0.5 m)	138202	<b>285.00</b>	123.3	18
	TD3-21 sloped channel - 39.37" (1 m)	138171	<b>515.00</b>	231.6	9
	TD3-22 sloped channel - 39.37" (1 m)	138172	<b>515.00</b>	232.9	9
	TD3-23 sloped channel - 39.37" (1 m)	138173	<b>515.00</b>	234.1	9
	TD3-24 sloped channel - 39.37" (1 m)	138174	<b>515.00</b>	235.3	9
	TD3-25 sloped channel - 39.37" (1 m)	138175	<b>515.00</b>	236.5	9
	TD3-26 sloped channel - 39.37" (1 m)	138176	<b>515.00</b>	237.8	9
	TD3-27 sloped channel - 39.37" (1 m)	138177	<b>515.00</b>	239.0	9
	TD3-28 sloped channel - 39.37" (1 m)	138178	<b>515.00</b>	240.2	9
	TD3-29 sloped channel - 39.37" (1 m)	138179	<b>515.00</b>	241.5	9
	TD3-30 sloped channel - 39.37" (1 m)	138180	<b>515.00</b>	242.7	9
	TD3-030 constant depth channel - 39.37" (1 m)	138197	<b>515.00</b>	242.7	9
	TD3-0303 constant depth channel - 19.69" (0.5 m)	138198	<b>285.00</b>	130.5	18
	TD3-31 sloped channel - 39.37" (1 m)	138181	<b>515.00</b>	243.9	9
	TD3-32 sloped channel - 39.37" (1 m)	138182	<b>515.00</b>	245.2	9
	TD3-33 sloped channel - 39.37" (1 m)	138183	<b>515.00</b>	246.4	9
	TD3-34 sloped channel - 39.37" (1 m)	138184	<b>515.00</b>	247.6	9
	TD3-35 sloped channel - 39.37" (1 m)	138185	<b>515.00</b>	248.9	9
	TD3-36 sloped channel - 39.37" (1 m)	138186	<b>515.00</b>	250.1	9
	TD3-37 sloped channel - 39.37" (1 m)	138187	<b>515.00</b>	251.3	9
	TD3-38 sloped channel - 39.37" (1 m)	138188	<b>515.00</b>	252.5	9
	TD3-39 sloped channel - 39.37" (1 m)	138189	<b>515.00</b>	253.8	9
	TD3-40 sloped channel - 39.37" (1 m)	138190	<b>515.00</b>	255.0	9
	TD3-040 constant depth channel - 39.37" (1 m)	138199	<b>515.00</b>	255.0	9
	TD3-0403 constant depth channel - 19.69" (0.5 m)	138200	<b>285.00</b>	138.7	18
	Series 600 catch basin riser (optional)	99902	<b>173.00</b>	10.0	24
	TD3-903D in-line catch basin - 19.69" (0.5 m)	138203	<b>620.00</b>	139.8	-
	TD3-904D in-line catch basin - 19.69" (0.5 m)	138204	<b>730.00</b>	194.8	-
	Foul air trap - fits Type 900 & 600 basins	90854	<b>72.75</b>	1.2	-
	SK3 universal closing/inlet/outlet end cap	96827	<b>93.75</b>	2.5	-
	Installation device (joint clamp) - 12" system	97479	<b>32.25</b>	4.9	-
	Grate removal tool	01318	<b>29.19</b>	0.3	-
	Concrete anchors (2 per bag)	97496	<b>19.00</b>	0.3	-


TD300 Channel - 39.37" (1 m)




TD300 Channel - 19.69" (0.5 m)



TD3-903D In-line Catch Basin - 19.69" (0.5 m)



TD3-904D In-line Catch Basin - 19.69" (0.5 m)



Scupper w/Galvanized Steel Frame - 18"



Scupper w/Black Frame - 36"






Scupper w/Black Frame - 54"



**BridgeDrain Scuppers**

	Part No.	Price \$	Weight lbs	Pallet Qty
Scupper with black frame - 18"	95349	198.00	42.5	-
Scupper with black frame - 36"	95348	285.00	85.0	-
Scupper with black frame - 54"	95347	317.25	127.5	-
Scupper with galvanized steel frame - 18"	95352	250.00	42.5	-
Scupper with galvanized steel frame - 36"	95351	350.00	85.0	-
Scupper with galvanized steel frame - 54"	95350	400.00	127.5	-

**BridgeDrain Scupper Grates**




	Length in	Part No.	Price \$	Weight lbs	Pallet Qty
Galvanized steel bar	18	93900	125.00	15.0	-
	36	93899	275.00	28.6	-
Ductile iron longitudinal	18	93893	195.00	25.5	-
Ductile iron slotted	18	93896	126.00	28.7	-

**Note:**  
Bolts included with all grates.


**Replacement Parts**

	Part No.	Price \$	Weight lbs	Pallet Qty
(4) Stainless steel socket head bolts for bar grate	93897	11.50	0.4	-
(2) Stainless steel socket head bolts for bar grate	93898	6.50	0.2	-
(2) Stainless steel hex head bolts for longitudinal/slotted grate	93892	7.00	0.2	-


**QMax Parts**



Part No.	Price \$	Weight lbs	Pallet Qty
<b>QMAX 225</b>			
QMax 225 with Q-Flow ductile iron rail - 78.75" (2 m)	32800	<b>600.00</b>	52.8
QMax 225 with Q-Guard ductile iron rail - 78.75" (2 m)	32801	<b>625.00</b>	55.0
QMax 225 with Q-Flow galvanized steel rail - 78.75" (2 m)	32802	<b>525.00</b>	39.2
QMax 225 with Q-Guard galvanized steel rail - 78.75" (2 m)	32803	<b>500.00</b>	33.7
QMax 225 end cap assembly	42221	<b>140.00</b>	3.1
QMax 225 to QMax 350 system connector plate	32880	<b>140.00</b>	1.8




<b>QMAX 350</b>			
QMax 350 with Q-Flow ductile iron rail - 78.75" (2 m)	32810	<b>675.00</b>	62.3
QMax 350 with Q-Guard ductile iron rail - 78.75" (2 m)	32811	<b>700.00</b>	64.5
QMax 350 with Q-Flow galvanized steel rail - 78.75" (2 m)	32812	<b>625.00</b>	52.8
QMax 350 with Q-Guard galvanized steel rail - 78.75" (2 m)	32813	<b>550.00</b>	47.3
QMax 350 end cap assembly	42351	<b>210.00</b>	5.7




<b>QMAX 365</b>			
QMax 365 with Q-Flow ductile iron rail - 78.75" (2 m)	32820	<b>800.00</b>	96.8
QMax 365 with Q-Guard ductile iron rail - 78.75" (2 m)	32821	<b>835.00</b>	99.0
QMax 365 with Q-Flow galvanized steel rail - 78.75" (2 m)	32822	<b>715.00</b>	78.3
QMax 365 with Q-Guard galvanized steel rail - 78.75" (2 m)	32823	<b>650.00</b>	72.8
QMax 365 closing end plate	32825	<b>335.00</b>	7.7
QMax 365 closing end cap	32886	<b>370.00</b>	4.6
QMax 365 to QMax 465 System connector plate	32882	<b>395.00</b>	5.5
QMax 365 outlet flume/catch basin connector (male)	44360	<b>460.00</b>	12.5
QMax 365 outlet flume/catch basin connector (female)	44361	<b>440.00</b>	12.8

\* Quantity per truckload



<b>QMAX 465</b>			
QMax 465 with Q-Flow ductile iron rail - 78.75" (2 m)	32830	<b>950.00</b>	109.3
QMax 465 with Q-Guard ductile iron rail - 78.75" (2 m)	32831	<b>975.00</b>	111.5
QMax 465 with Q-Flow galvanized steel rail - 78.75" (2 m)	32832	<b>875.00</b>	92.2
QMax 465 with Q-Guard galvanized steel rail - 78.75" (2 m)	32833	<b>810.00</b>	86.7
QMax 465 closing end plate	32835	<b>380.00</b>	10.8
QMax 465 closing end cap	32887	<b>390.00</b>	6.8
QMax 465 to QMax 600 System connector plate	32883	<b>450.00</b>	8.1
QMax 465 outlet flume/catch basin connector (male)	44362	<b>525.00</b>	16.9
QMax 465 outlet flume/catch basin connector (female)	44363	<b>525.00</b>	17.2

\* Quantity per truckload



<b>QMAX 600</b>			
QMax 600 with Q-Flow ductile iron rail - 78.75" (2 m)	32840	<b>1,200.00</b>	143.7
QMax 600 with Q-Guard ductile iron rail - 78.75" (2 m)	32841	<b>1,100.00</b>	145.9
QMax 600 with Q-Flow galvanized steel rail - 78.75" (2 m)	32842	<b>1,050.00</b>	125.8
QMax 600 with Q-Guard galvanized steel rail - 78.75" (2 m)	32843	<b>1,025.00</b>	120.3
QMax 600 closing end plate	32845	<b>450.00</b>	21.6
QMax 600 closing end cap	32888	<b>425.00</b>	10.8
QMax 600 outlet flume/catch basin connector (male)	44364	<b>610.00</b>	27.1
QMax 600 outlet flume/catch basin connector (female)	44365	<b>615.00</b>	27.5

\* Quantity per truckload

<b>QMAX CATCH BASINS</b>			
QMax catch basin (deep) - use with all systems	90931	<b>950.00</b>	52.8
QMax catch basin (short) - use with 225 & 350 only	90932	<b>825.00</b>	55.0
Black coated steel frame	98021	<b>230.00</b>	39.2
Galvanized steel frame	98034	<b>271.00</b>	33.7
Iron grate	97453	<b>1,440.00</b>	209.0
Galvanized grate	97452	<b>524.25</b>	52.0

# ACO Terms & Conditions



Full ACO, Inc. Terms  
and Conditions of Sale

**PAYMENT** - All pricing is in U.S. Dollars.

**TERMS** - Net 30 days from date of invoice. A service charge of 1.5% per month will be charged on all invoices unpaid 30 days after invoice date (equal to 18% annually).

**FREIGHT** - F.O.B. ACO

**PRODUCT AVAILABILITY** - Call Customer Service for current stock availability and lead times.

**MISSING MATERIAL** - Missing material must be reported to ACO's Customer Service Department within 48 hours of receipt of shipment.

**DAMAGED MATERIAL** - Damaged material must be noted on the bill of lading at final destination point. The receiver must file a freight claim with the carrier. ACO is not responsible for material damaged in transit.

**TAXES** - All State and Federal taxes are additional.

**CHANGES** - ACO, Inc. reserves the right to change prices, design, and materials of any products listed at any time.

**RETURNS** - Returned materials are subject to a 25% restocking charge. Prior return authorization (RGA) must be obtained from ACO before any material is shipped. Returned materials are subject to the following conditions:

- a) Items returned in a condition that does not allow for refurbish and resale will not be credited.
- b) Material must be returned to ACO within 30 days of receipt of RGA.
- c) All freight costs are the responsibility of those returning the material.
- d) All non-standard and fabricated material cannot be returned for credit.

**MINIMUM ORDER** - Minimum order is \$250.00. Orders under \$250.00 are subject to a \$50.00 handling fee.

---

## ACO, Inc.

West Sales Office  
825 W. Beechcraft Street  
Casa Grande, AZ 85122  
Tel: (520) 421-9988  
Toll-Free: (888) 490-9552  
Fax: (520) 421-9899

Northeast Sales Office  
9470 Pinecone Drive  
Mentor, OH 44060  
Tel: (440) 639-7230  
Toll-Free: (800) 543-4764  
Fax: (440) 639-7235

Southeast Sales Office  
481 Munn Road  
Suite 225  
Fort Mill, SC 29715  
Toll-Free: (800) 543-4764  
Fax: (803) 802-1063

info@acousa.com  
www.acoswm.com

© January 2025 ACO, Inc.

All reasonable care has been taken in compiling the information in this document. All recommendations and suggestions on the use of ACO products are made without guarantee since the conditions of use are beyond the control of the company. It is the customer's responsibility to ensure that each product is fit for its intended purpose and that the actual conditions of use are suitable. ACO, Inc. reserves the right to change products and specifications without notice.

Print IN\_PL2025\_01

ACO. we care for water

